

Camel[®]

HOME APPLIANCES

Non-stick Cookware
Hard Anodized Cookware
Pressure Cooker
Mixer Grinder
Portable Blender

IS : 4250



CM/L: 7480681
(MIXER GRINDER)

IS : 1560



COATED
CM/L: 7942895
(NON-STICK COOKWARE)

IS : 2347



CM/L: 3785380
WROUGHT ALUMINUM



AN ISO 9001:2008 CERTIFIED COMPANY



Dear Customer

We are happy to state that Harsh Enterprises has grown into an internationally renowned manufacturing company in the line of Home Appliances. Notable attraction of our products is our perfect quality against low-price, more over the after sales services is much appreciated by most buyers. It has passed the ISI/ISO approvals for all the products. Harsh Enterprises has great potential of development & stepping to goal of being a Famous Indian brand. In this competitive market it has a great exploiter team. Harsh Enterprises is worth getting your attention!

Thank You



IS : 4250
CM/L: 7400661
(MIXER GRINDER)



IS : 1660
CM/L: 7942895
COATED




IS : 2347
CM/L: 3785380
WROUGHT ALUMINIUM




AN ISO 9001:2008 CERTIFIED COMPANY

The internal coating is a fundamental component of the non-stick cookware aluminium, sensibly influencing the general performance of the product. It contributes to creating perfect cooking even with little added fats and affects the ease of washing and the duration of the cookware.

Legend Series



Classic Series



Durability Index



Legend Series

IS : 1660

COATED
CM/L-7942895



LEGEND SERIES

As the name suggests, the Legend Series is our evergreen, ever reliable range of Non-stick Cookware. Coated with Du Pont's Teflon three coat systems, the range is perfect for daily cooking. Easy to wash and healthy to cook, the Legend Series is truly a new symbol of trouble free cooking.



AN ISO 9001:2008 CERTIFIED COMPANY

Camel
NON-STICK COOKWARE

IS : 1660

COATED
CM/L-7942895

 **Dosa Tawa**
Legend Series



Length x Width x Height
305mm x 38mm x 301mm

Code No.	Size	Dia	Thickness	Case
12	DT270	270mm	3.2mm	48
13	DT295	295mm	3.2mm	36

LEGEND SERIES



AN ISO 9001:2008 CERTIFIED COMPANY

Camel
NON-STICK COOKWARE

IS : 1660

COATED
CM/L-7942895

 Concave Tawa
Legend Series



Length x Width x Height
305mm x 38mm x 301mm

Code No.	Size	Dia	Thickness	Case
12	CT270	270mm	3.2mm	48
13	CT295	295mm	3.2mm	36



AN ISO 9001:2008 CERTIFIED COMPANY

LEGEND SERIES

 Fry Pan
Legend Series



Length x Width x Height
254mm x 70mm x 248mm

Code No.	Size	Dia	Thickness	Case
12	FP225	270mm	3.2mm	48
13	FP245	295mm	3.2mm	36

 Deep Kadai
Legend Series



Length x Width x Height
294mm x 100mm x 294mm

Code No.	Size	Dia	Thickness	Case
13	LD2.5	--	3.2mm	16
14	KD3.5	--	3.2mm	16

LEGEND SERIES

 Super Flat Tawa
Legend Series



Length x Width x Height
318mm x 51mm x 324mm

Code No.	Size	Dia	Thickness	Case
11	ST280	280mm	3.2mm	28
12	ST305	305mm	3.2mm	28

LEGEND SERIES

 Multi Purpose Tawa
Legend Series



Length x Width x Height
432mm x 51mm x 280mm

Code No.	Size	Dia	Thickness	Case
11x13	--	11x13	4.0mm	20
12x14	--	12x14	4.0mm	20

Classic Series

IS : 1660

COATED
CM/L-7942895



CLASSIC SERIES

As the name suggests, the Legend Series is our evergreen, ever reliable range of Non-stick Cookware. Coated with Du Pont's Teflon two coat systems, the range is perfect for daily cooking. Easy to wash and healthy to cook, the Legend Series is truly a new symbol of trouble free cooking.



AN ISO 9001:2008 CERTIFIED COMPANY

 Dosa Tawa
Classic Series



Length x Width x Height
432mm x 51mm x 280mm

Code No.	Size	Dia	Thickness	Case
11	DT255	255mm	2.6mm	48
12	DT275	275mm	2.6mm	48
13	DT290	290mm	2.6mm	48
14	DT305	350mm	2.6mm	40

CLASSIC SERIES

Camel[®]
NON-STICK COOKWARE

IS : 1660

COATED
CM/L-7942895

 **Dosa Tawa** Fix Handle
Classic Series



Length x Width x Height
450mm x 45mm x 300mm

Code No.	Size	Dia	Thickness	Case
12	DT275	275mm	2.6mm	28
13	DT290	290mm	2.6mm	28



AN ISO 9001:2008 CERTIFIED COMPANY

CLASSIC SERIES

 Concave Tawa
Classic Series



Length x Width x Height
432mm x 51mm x 280mm

Code No.	Size	Dia	Thickness	Case
11	CT255	255mm	2.6mm	48
12	CT275	275mm	2.6mm	48
13	CT290	290mm	2.6mm	48

CLASSIC SERIES

 Fry Pan with S.S. Lid
Classic Series



Length x Width x Height
290mm x 75mm x 290mm

Code No.	Size	Dia	Thickness	Case
11	FP220	220mm	2.6mm	40
12	FP240	240mm	2.6mm	40
13	FP260	260mm	2.6mm	32
14	FP280	280mm	2.6mm	32

CLASSIC SERIES

 Deep Kadai
Classic Series



Length x Width x Height
432mm x 51mm x 280mm

Code No.	Size	Litre	Thickness	Case
11	KD1.5	1.5ltr	2.6mm	24
12	KD2.0	2.0ltr	2.6mm	24
13	KD2.5	2.5ltr	2.6mm	24
14	KD3.5	3.5ltr	2.6mm	20

 Deep Kadai with S.S. Lid
Classic Series



Length x Width x Height
432mm x 51mm x 280mm

Code No.	Size	Litre	Thickness	Case
11	KDL1.5	1.5ltr	2.6mm	24
12	KDL2.0	2.0ltr	2.6mm	24
13	KDL2.5	2.5ltr	2.6mm	24
14	KDL3.5	3.5ltr	2.6mm	20

CLASSIC SERIES

 Appachetty with S.S. Lid
Classic Series



Length x Width x Height
290mm x 75mm x 290mm

Code No.	Size	Dia	Thickness	Case
10	AP215	215mm	2.6mm	48

 Chinese Wok with S.S. Lid
Classic Series



Length x Width x Height
318mm x 95mm x 318mm

Code No.	Size	Dia	Thickness	Case
--	--	--	2.6mm	24

CLASSIC SERIES

 Casserole with Glass Lid
Classic Series



Length x Width x Height
290mm x 75mm x 290mm

Code No.	Size	Dia	Thickness	Case
11	CR180	180mm	2.6mm	24
12	CR195	195mm	2.6mm	24
13	CR210	210mm	2.6mm	24

CLASSIC SERIES

 **Mini
Uttappa Tawa**
Classic Series



Length x Width x Height
318mm x 38mm x 318mm

Code No.	Size	Dia	Thickness	Case
—	MU-1	--	2.6mm	48

CLASSIC SERIES

 Set Dosa Tawa
Classic Series



Length x Width x Height
318mm x 38mm x 318mm

Code No.	Size	Dia	Thickness	Case
---	SD-1	--	2.6mm	40

 Pizza Maker with S.S. Lid
Classic Series



Length x Width x Height
235mm x 70mm x 235mm

Code No.	Size	Dia	Thickness	Case
10	PZ-10	--	2.6mm	48

CLASSIC SERIES

 Mini Pan
Classic Series



Length x Width x Height
290mm x 75mm x 290mm

Code No.	Size	Dia	Thickness	Case
9	MP200	200mm	2.6mm	60

CLASSIC SERIES

 Appam
Classic Series



Length x Width x Height
290mm x 75mm x 290mm

Code No.	Size	Dia	Thickness	Case
—	—	—	2.6mm	60

Camel
NON-STICK COOKWARE

IS : 1660
IS
COATED
CM/L-7942895

 **Appam** with S.S. Lid
Classic Series



Length x Width x Height
290mm x 75mm x 290mm

Code No.	Size	Dia	Thickness	Case
—	—	—	2.6mm	60

CLASSIC SERIES



AN ISO 9001:2008 CERTIFIED COMPANY

HE Appam
Classic Series



Length x Width x Height
290mm x 75mm x 290mm

Code No.	Size	Dia	Thickness	Case
—	—	—	2.6mm	60

Camel[®]
NON-STICK COOKWARE

IS : 1660
IS
COATED
CM/L-7942895

 **Vaghariya**
Classic Series



Length x Width x Height
290mm x 75mm x 290mm

Code No.	Size	Dia	Thickness	Case
6	VG-6	--	2.6mm	60



AN ISO 9001:2008 CERTIFIED COMPANY

CLASSIC SERIES

 Sauce Pan
Classic Series



Length x Width x Height
290mm x 75mm x 290mm

Code No.	Size	Dia	Thickness	Case
10	SP-10	--	2.6mm	48

CLASSIC SERIES

 Sandwich Toaster Regular
Classic Series



Length x Width x Height
432mm x 51mm x 280mm

Code No.	Size	Dia	Thickness	Case
—	—	—	2.6mm	50

CLASSIC SERIES

 Sandwich Toaster Deluxe
Classic Series



Length x Width x Height
432mm x 51mm x 280mm

Code No.	Size	Dia	Thickness	Case
—	--	--	2.6mm	60

CLASSIC SERIES

 Gift Set (Dosa Tawa / Fry Pan / Kadai)
Classic Series



Length x Width x Height
290mm x 75mm x 290mm

Code No.	Size	Dia	Thickness	Case
11	HE-1	--	2.6mm	12
12	HE-2	--	2.6mm	12
13	HE-3	--	2.6mm	12

Hard Anodizes



HARD ANODIZED

Hard anodized cookware is a lightweight product that is 30% harder than stainless steel. The aluminum that the cookware is made from goes through an electro-chemical interaction process that makes the aluminum harder while still maintaining its light weight. The range is perfect for daily cooking. Easy to wash and healthy to cook, the Hard Anodized Cookware is truly a new symbol of trouble free cooking.



AN ISO 9001:2008 CERTIFIED COMPANY

Camel
HARD ANODIZED COOKWARE



 Chapati Tawa
Hard Anodized
Cookware



Length x Width x Height
432mm x 51mm x 280mm

Code No.	Size	Dia	Thickness	Case
09	CT09	09mm	3.0mm	30
10	CT10	10mm	3.0mm	30
11	CT11	11mm	3.0mm	27
12	CT12	12mm	3.0mm	27



AN ISO 9001:2008 CERTIFIED COMPANY

HARD ANODIZED

 Deep Kadai
Hard Anodized
Cookware



Length x Width x Height
432mm x 51mm x 280mm

Code No.	Size	Dia	Thickness	Case
09	KD09	09mm	3.0mm	30
10	KD10	10mm	3.0mm	30
11	KD11	11mm	3.0mm	27
12	KD12	12mm	3.0mm	27
13	KD13	13mm	3.0mm	20
14	KD14	14mm	3.0mm	20

Tasara
Hard Anodized
Cookware



Length x Width x Height
432mm x 51mm x 280mm

Code No.	Size	Dia	Thickness	Case
09	TS09	09mm	3.0mm	24
10	TS10	10mm	3.0mm	24
11	TS11	11mm	3.0mm	24
12	TS12	12mm	3.0mm	24
13	TS13	13mm	3.0mm	24
14	TS14	14mm	3.0mm	24

HARD ANODIZED

 **Top**
Hard Anodized
Cookware



HARD ANODIZED

Code No.	Size	Dia	Thickness	Case
09	TP09	09mm	3.0mm	24
10	TP10	10mm	3.0mm	24
11	TP11	11mm	3.0mm	24
12	TP12	12mm	3.0mm	24
13	TP13	13mm	3.0mm	24
14	TP14	14mm	3.0mm	24

Vaghariya
Hard Anodized
Cookware



Length x Width x Height
432mm x 51mm x 280mm

Code No.	Size	Dia	Thickness	Case
05	Small	--	3.0mm	60
5.5	Medium	--	3.0mm	60
6.0	Big	--	3.0mm	60

 Sauce Pan
Hard Anodized
Cookware



HARD ANODIZED

Code No.	Size	Dia	Thickness	Case
10	SP10	10mm	3.0mm	24

 Outer Lid-2 Ltr
Pressure Cooker



Length x Width x Height
318mm x 210mm x 155mm

Capacity	Case
2ltr	16

PRESSURE COOKER

Camel
PRESSURE COOKER

IS : 2347

CM/L: 3785380
WROUGHT ALUMINIUM

 Outer Lid-3 Ltr
Pressure Cooker



Length x Width x Height
323mm x 205mm x 184mm

Capacity	Case
3ltr	16

PRESSURE COOKER



AN ISO 9001:2008 CERTIFIED COMPANY

Camel
PRESSURE COOKER

IS : 2347

CM/L: 3785380
WROUGHT ALUMINIUM

 Outer Lid-5 Ltr
Pressure Cooker



Length x Width x Height
397mm x 276mm x 203mm

Capacity	Case
5ltr	12

PRESSURE COOKER



AN ISO 9001:2008 CERTIFIED COMPANY

Camel
PRESSURE COOKER

IS : 2347

CM/L: 3785380
WROUGHT ALUMINUM

 Outer Lid-7.5 Ltr
Pressure Cooker



Length x Width x Height
420mm x 286mm x 233mm



Capacity	Case
7.5ltr	12

PRESSURE COOKER



AN ISO 9001:2008 CERTIFIED COMPANY

 Outer Lid-10 Ltr
Pressure Cooker



Length x Width x Height
420mm x 286mm x 268mm



PRESSURE COOKER

Capacity	Case
10ltr	8

Camel
PRESSURE COOKER

IS : 2347

CM/L: 3785380
WROUGHT ALUMINIUM

 Outer Lid-12 Ltr
Pressure Cooker



Length x Width x Height
420mm x 325mm x 320mm



PRESSURE COOKER

Capacity	Case
12ltr	8



AN ISO 9001:2008 CERTIFIED COMPANY

Camel
PRESSURE COOKER

IS : 2347

CM/L: 3785380
WROUGHT ALUMINIUM

 Inner Lid-2 Ltr
Pressure Cooker



Length x Width x Height
337mm x 197mm x 197mm



Capacity	Case
2ltr	16

PRESSURE COOKER



AN ISO 9001:2008 CERTIFIED COMPANY

 Inner Lid-3 Ltr
Pressure Cooker



Length x Width x Height
337mm x 197mm x 197mm



PRESSURE COOKER

Capacity	Case
3ltr	16

Camel
PRESSURE COOKER

IS : 2347

CM/L: 3785380
WROUGHT ALUMINIUM

 Inner Lid-5 Ltr
Pressure Cooker



Length x Width x Height
410mm x 207mm x 232mm



PRESSURE COOKER

Capacity	Case
5ltr	12



AN ISO 9001:2008 CERTIFIED COMPANY

Camel
PRESSURE COOKER

IS : 2347

CM/L: 3785380
WROUGHT ALUMINIUM

 Inner Lid-6.5 Ltr
Pressure Cooker



Length x Width x Height
351mm x 232 mm x 251mm

Capacity	Case
6.5ltr	12

PRESSURE COOKER



AN ISO 9001:2008 CERTIFIED COMPANY

Camel
PRESSURE COOKER

IS : 2347

CM/L: 3785380
WROUGHT ALUMINIUM

 Inner Lid-8 Ltr
Pressure Cooker



Length x Width x Height
410mm x 232mm x 286mm



PRESSURE COOKER

Capacity	Case
8ltr	12



AN ISO 9001:2008 CERTIFIED COMPANY

Camel
MIXER GRINDER

IS : 4250

CM/L: 7480681

 Eco Grind
Mixer Grinder



Length x Width x Height
355mm x 203mm x 381mm

TECHNICAL DATA

Power Supply 230 V.Ac. 50 Hz.
Input : 550 Watts
Rating : 30 Minutes
Normal Load : 350 Watts
R.P.M. : 18000 Approx (No Load)
Class "1" Appliances
Capacity : 1 Ltrs.

CONTAINS

Basic unit
S.S. Dry Jar with Dome
S.S. Wet Jar with Dome
S.S. Chutney Grinder with Dome
Instruction Manual with Warranty Card



AN ISO 9001:2008 CERTIFIED COMPANY

MIXER GRINDER

Camel
MIXER GRINDER

 Eco Mix
Mixer Grinder



IS : 4250

CM/L: 7480681



Length x Width x Height
355mm x 203mm x 381mm

TECHNICAL DATA

Power Supply 230 V.Ac. 50 Hz.
Input : 550 Watts
Rating : 30 Minutes
Normal Load : 350 Watts
R.P.M. : 18000 Approx (No Load)
Class "1" Appliances
Capacity : 1 Ltrs.

CONTAINS

Basic unit
S.S. Dry Jar with Dome
S.S. Wet Jar with Dome
S.S. Chutney Grinder with Dome
Instruction Manual with Warranty Card



AN ISO 9001:2008 CERTIFIED COMPANY

MIXER GRINDER

Camel
MIXER GRINDER

IS : 4250

CM/L: 7480681

 **Eco Leaf**
Mixer Grinder



Length x Width x Height
381mm x 210mm x 381mm

TECHNICAL DATA

Power Supply 230 V.Ac. 50 Hz.
Input : 550 Watts
Rating : 30 Minutes
Normal Load : 350 Watts
R.P.M. : 18000 Approx (No Load)
Class "1" Appliances
Capacity : 1 Ltrs.

CONTAINS

Basic unit
S.S. Dry Jar with Dome
S.S. Wet Jar with Dome
S.S. Chutney Grinder with Dome
Instruction Manual with Warranty Card

MIXER GRINDER



AN ISO 9001:2008 CERTIFIED COMPANY

Camel
MIXER GRINDER

 **Primo**
Mixer Grinder

IS : 4250

CM/L: 7480681



Length x Width x Height
355mm x 203mm x 381mm

TECHNICAL DATA

Power Supply 230 V.Ac. 50 Hz.
Input : 550 Watts
Rating : 30 Minutes
Normal Load : 350 Watts
R.P.M. : 18000 Approx (No Load)
Class "1" Appliances
Capacity : 1 Ltrs.

CONTAINS

Basic unit
S.S. Dry Jar with Dome
S.S. Wet Jar with Dome
S.S. Chutney Grinder with Dome
Instruction Manual with Warranty Card



AN ISO 9001:2008 CERTIFIED COMPANY

MIXER GRINDER

Camel
MIXER GRINDER

IS : 4250

CM/L: 7480681

 Platina Gold
Mixer Grinder



Length x Width x Height
305mm x 38mm x 301mm

TECHNICAL DATA

Power Supply 230 V.Ac. 50 Hz.
Input : 550 Watts
Rating : 30 Minutes
Normal Load : 350 Watts
R.P.M. : 18000 Approx (No Load)
Class "1" Appliances
Capacity : 1 Ltrs.

CONTAINS

Basic unit
S.S. Dry Jar with Dome
S.S. Wet Jar with Dome
S.S. Chutney Grinder with Dome
Instruction Manual with Warranty Card

MIXER GRINDER



AN ISO 9001:2008 CERTIFIED COMPANY

Camel
MIXER GRINDER

IS : 4250

CM/L: 7480681

 Eco Four
Mixer Grinder



Length x Width x Height
489mm x 210mm x 368mm

TECHNICAL DATA

Power Supply 230 V.Ac. 50 Hz.
Input : 550 Watts
Rating : 30 Minutes
Normal Load : 350 Watts
R.P.M. : 18000 Approx (No Load)
Class "1" Appliances
Capacity : 1 Ltrs.

CONTAINS

Basic unit
S.S. Dry Jar with Dome
S.S. Wet Jar with Dome
S.S. Chutney Grinder with Dome
Polycarbonate Juicer Jar
Instruction Manual with Warranty Card



AN ISO 9001:2008 CERTIFIED COMPANY

MIXER GRINDER

Camel
MIXER GRINDER

IS : 4250

CM/L: 7480681

 Legend Gold
Mixer Grinder



Length x Width x Height
355mm x 203mm x 381mm

TECHNICAL DATA

Power Supply 230 V.Ac. 50 Hz.
Input : 550 Watts
Rating : 30 Minutes
Normal Load : 350 Watts
R.P.M. : 18000 Approx (No Load)
Class "1" Appliances
Capacity : 1 Ltrs.

CONTAINS

Basic unit
S.S. Dry Jar with Dome
S.S. Wet Jar with Dome
S.S. Chutney Grinder with Dome
Instruction Manual with Warranty Card



AN ISO 9001:2008 CERTIFIED COMPANY

MIXER GRINDER

Camel
MIXER GRINDER

IS : 4250

CM/L: 7480681


Vertica
Mixer Grinder



Length x Width x Height
356mm x 203mm x 330mm

TECHNICAL DATA

Power Supply 230 V.Ac. 50 Hz.
Input : 550 Watts
Rating : 30 Minutes
Normal Load : 350 Watts
R.P.M. : 18000 Approx (No Load)
Class "1" Appliances
Capacity : 1 Ltrs.

CONTAINS

Basic unit
S.S. Dry Jar with Dome
S.S. Wet Jar with Dome
S.S. Chutney Grinder with Dome
Instruction Manual with Warranty Card



AN ISO 9001:2008 CERTIFIED COMPANY

MIXER GRINDER

Camel
MIXER GRINDER

IS : 4250

CM/L: 7480681

 Proto
Mixer Grinder



Length x Width x Height
381mm x 210mm x 381mm

TECHNICAL DATA

Power Supply 230 V.Ac. 50 Hz.
Input : 550 Watts
Rating : 30 Minutes
Normal Load : 350 Watts
R.P.M. : 18000 Approx (No Load)
Class "1" Appliances
Capacity : 1 Ltrs.

CONTAINS

Basic unit
S.S. Dry Jar with Dome
S.S. Wet Jar with Dome
S.S. Chutney Grinder with Dome
Grind n'Store Bottle with Lid
Instruction Manual with Warranty Card



AN ISO 9001:2008 CERTIFIED COMPANY

MIXER GRINDER

Camel
MIXER GRINDER

IS : 4250

CM/L: 7480681

 Pride
Mixer Grinder



Length x Width x Height
485mm x 195mm x 370mm

TECHNICAL DATA

Power Supply 230 V.Ac. 50 Hz.
Input : 550 Watts
Rating : 30 Minutes
Normal Load : 350 Watts
R.P.M. : 18000 Approx (No Load)
Class "1" Appliances
Capacity : 1 Ltrs.

CONTAINS

Basic unit
S.S. Dry Jar with Dome
S.S. Wet Jar with Dome
S.S. Chutney Grinder with Dome
Polycarbonate Juicer Jar
Instruction Manual with Warranty Card



AN ISO 9001:2008 CERTIFIED COMPANY

MIXER GRINDER

Camel
MIXER GRINDER

IS : 4250

CM/L: 7480681

 Planet-750
Mixer Grinder



Length x Width x Height
355mm x 203mm x 400mm

TECHNICAL DATA

Power Supply 230 V.Ac. 50 Hz.
Input : 750 Watts
Rating : 30 Minutes
Normal Load : 350 Watts
R.P.M. : 18000 Approx (No Load)
Class "1" Appliances
Capacity : 1.75 Ltrs.

CONTAINS

Basic unit
S.S. Dry Jar with Dome
S.S. Wet Jar with Dome
S.S. Chutney Grinder with Dome
Instruction Manual with Warranty Card



AN ISO 9001:2008 CERTIFIED COMPANY

MIXER GRINDER

Camel
MIXER GRINDER

IS : 4250

CM/L: 7480681

Euro-750
Mixer
Grinder



Length x Width x Height
485mm x 195mm x 370mm

TECHNICAL DATA

Power Supply 230 V.Ac. 50 Hz.
Input : 750 Watts
Rating : 30 Minutes
Normal Load : 350 Watts
R.P.M. : 18000 Approx (No Load)
Class "1" Appliances
Capacity : 1.75 Ltrs.

CONTAINS

Basic unit
S.S. Dry Jar with Dome
S.S. Wet Jar with Dome
S.S. Chutney Grinder with Dome
Polycarbonate Juicer Jar
Instruction Manual with Warranty Card



AN ISO 9001:2008 CERTIFIED COMPANY

MIXER GRINDER

Camel
MIXER GRINDER

IS : 4250

CM/L: 7480681

 Elegant-750
Mixer Grinder



Length x Width x Height
508mm x 210mm x 395mm

TECHNICAL DATA

Power Supply 230 V.Ac. 50 Hz.
Input : 750 Watts
Rating : 30 Minutes
Normal Load : 350 Watts
R.P.M. : 18000 Approx (No Load)
Class "1" Appliances
Capacity : 1.75 Ltrs.

CONTAINS

Basic unit
S.S. Dry Jar with Dome
S.S. Wet Jar with Dome
S.S. Chutney Grinder with Dome
Polycarbonate Juicer Jar
Instruction Manual with Warranty Card



AN ISO 9001:2008 CERTIFIED COMPANY

MIXER GRINDER

Camel
MIXER GRINDER

 Hotel Master
Mixer Grinder



Length x Width x Height
440mm x 230mm x 330mm

TECHNICAL DATA

Power Supply 230 V.Ac. 50 Hz.
Input : 1100 Watts
Rating : 30 Minutes
Normal Load : 650 Watts
R.P.M. : 18000 Approx (No Load)
Class "1" Appliances
Capacity : 1.75 Ltrs.

CONTAINS

Basic unit
S.S. Wet Jar with Dome
S.S. Chutney Jar with Dome
Instruction Manual with Warranty Card

MIXER GRINDER



AN ISO 9001:2008 CERTIFIED COMPANY

Camel[®]
MIXER GRINDER

Juicy



Length x Width x Height
260mm x 190mm x 305mm

TECHNICAL DATA

Power Supply 230 V.Ac. 50 Hz.
Input : 350 Watts
Rating : 20 Minutes (5min. ON / 2min OFF)
R.P.M. : 14000 Approx (No Load)
Class of Insulation "H"
Class "1" Appliances



AN ISO 9001:2008 CERTIFIED COMPANY

JUICER



Lancer

Portable Blender
with attachment



Lancy

Portable Blender
without attachment

TECHNICAL DATA

Power Supply 230 V.Ac. 50 Hz.

Input : 125 Watts

Rating : 3 Min. Rating (2min ON, 5min OFF)

R.P.M. : 12000 Approx (No Load)

Class "1" Appliances

PORTABLE BLENDER



AN ISO 9001:2008 CERTIFIED COMPANY

LEGEND SERIES

S.NO.	ITEM	MASTER CARTON SIZE IN mm			CASE LOT
		Length	Width	Height	
1	Dosa Tawa 270	965	318	610	48 Pcs
2	Dosa Tawa 295	965	318	610	42 Pcs
3	Concave Tawa 270	965	318	610	48 Pcs
4	Concave Tawa 295	965	318	610	42 Pcs
5	Fry Pan 225	533	305	521	16 Pcs
6	Fry Pan 245	533	305	521	16 Pcs
7	Deep Kadai 2.5 (S.S./Glass Lid)	610	457	610	16 Pcs
8	Deep Kadai 3.5 (S.S./Glass Lid)	610	457	610	16 Pcs
9	Multi Purpose Tawa 11x13				
10	Multi Purpose Tawa 12x14				

CLASSIC SERIES

SR.NO.	ITEM	MASTER CARTON SIZE IN mm			CASE LOT
		Length	Width	Height	
1	Dosa Tawa 255	965	318	610	48 Pcs
2	Dosa Tawa 275	965	318	610	48 Pcs
3	Dosa Tawa 290	965	318	610	48 Pcs
4	Dosa Tawa 305	826	330	673	40 Pcs
5	Fixed Handle Dosa Tawa 275	965	318	610	28 Pcs
6	Fixed Handle Dosa Tawa 290	965	318	610	28 Pcs
7	Concave Tawa 255	965	318	610	48 Pcs
8	Concave Tawa 275	965	318	610	48 Pcs
9	Concave Tawa 290	965	318	610	48 Pcs
10	Fry Pan 220	559	559	584	40 pcs
11	Fry Pan 240	559	559	699	40 Pcs
12	Fry Pan 260	559	559	699	40 Pcs
13	Fry Pan 280	610	610	610	32 Pcs

CLASSIC SERIES

SR.NO.	ITEM	MASTER CARTON SIZE IN mm			CASE LOT
		Length	Width	Height	
14	Appachetty	559	559	699	48 Pcs
15	Deep Kadai 1.5	559	559	508	24 Pcs
16	Deep Kadai 2.0	559	559	610	24 Pcs
17	Deep Kadai 2.5	559	559	610	24 Pcs
18	Deep Kadai 3.5	610	610	610	20 Pcs
19	Deep Kadai 1.5 (With S.S. Lid)	559	559	508	24 Pcs
20	Deep Kadai 2.0 (With S.S. Lid)	559	559	610	24 Pcs
21	Deep Kadai 2.5 (With S.S. Lid)	559	559	610	24 Pcs
22	Deep Kadai 3.5 (With S.S. Lid)	610	610	610	20 Pcs
23	Mini Pan	457	457	749	60 Pcs
24	Appam	635	381	622	60 Pcs
25	Appam (With S.S. Lid)	635	381	622	60 Pcs
26	He Appam	457	457	749	60 Pcs
27	Vagarlya	559	305	737	60 Pcs
28	Mini Uttapa	826	330	673	40 Pcs
29	Set Dosa Tawa	826	330	673	40 Pcs
30	Gift Set He - 1	610	610	521	12 Pcs
31	Gift Set He - 2	610	610	521	12 Pcs
32	Gift Set He - 3	610	610	521	12 Pcs
33	Chinese Wok	--	--	--	--
34	Pizza Maker	457	457	686	36 Pcs
35	Sandwich Toaster	826	330	673	50 Pcs
36	Sandwich Toaster Dlx	635	381	622	60 Pcs
37	Sauce Pan	635	381	622	48 Pcs
38	Casserole with glass lid	--	--	--	--
39	Casserole with glass lid	--	--	--	--
40	Casserole with glass lid	--	--	--	--

OUTER LID PRESSURE COOKER

S.NO.	ITEM	MASTER CARTON SIZE IN mm			CASE LOT
		Length	Width	Height	
1	2 Ltr	686	406	800	20 Pcs
2	3 Ltr	648	432	749	16 Pcs
3	5 Ltr	800	572	622	12 Pcs
4	7.5 Ltr	851	597	483	8 Pcs
5	10 Ltr	851	597	572	8 Pcs
6	12 Ltr	876	597	673	8 Pcs

INNER LID PRESSURE COOKER

S.NO.	ITEM	MASTER CARTON SIZE IN mm			CASE LOT
		Length	Width	Height	
1	2 Ltr	--	--	--	
2	3 Ltr	686	406	800	16 Pcs
3	5 Ltr	826	457	635	12 Pcs
4	6.5 Ltr	838	737	508	8 Pcs
5	8 Ltr	838	737	584	8 Pcs



Camel[®]
HOME APPLIANCES

Mfg By.: **HARSH ENTERPRISES**

No. M-2/A, Shree Raj Laxmi Hi-tech Ind. Park, Sonale Village, Bhiwandi, Dist. Thane (INDIA)

Customer Care No.: 09833838621 E-mail: henonstick@gmail.com